

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: Sleek Teak Cleaner & Brightener

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Detergent.

1.3. Details of the supplier of the safety data sheet

Company name: Sleek Clean Care Limited
Unit 3, Parkwood Business Park
Parkwood Street, Keighley
Keighley, West Yorkshire
BD21 4WD
United Kingdom

Tel: +44 (0) 1535 509 003

Email: hello@sleekcleancare.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0) 1535 509 003
(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1C: H314; -: EUH208

Most important adverse effects: Contains 2-hydroxy-4-methoxy-benzophenone-5-sulfonic-acid. May produce an allergic reaction. Causes severe skin burns and eye damage.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains 2-hydroxy-4-methoxy-benzophenone-5-sulfonic-acid. May produce an allergic reaction.

H314: Causes severe skin burns and eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Precautionary statements: P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

SAFETY DATA SHEET

SLEEK TEAK CLEANER AND BRIGHTENER

Page: 2

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water .

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P102: Keep out of reach of children.

P103: Read label before use.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

OXALIC ACID

EINECS	CAS	PBT / WEL	CLP Classification	Percent
205-634-3	144-62-7	-	Acute Tox. 4: H312; Acute Tox. 4: H302	1-10%

SULFONIC ACIDS,C14-16(EVEN NO)ALKANE HYDROXY AND C14-16 (EVEN NO)-ALKENE,SODIUM SALTS - REACH registered number(s): 01-2119513401-57-0004

931-534-0	-	-	Eye Dam. 1: H318; Skin Irrit. 2: H315	1-10%
-----------	---	---	---------------------------------------	-------

SODIUM C10-18,ETHER SULFATE

-	102783-14-2	-	Eye Dam. 1: H318; Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Irrit. 2: H315	1-10%
---	-------------	---	--	-------

2-HYDROXY-4-METHOXY-BENZOPHENONE-5-SULFONIC-ACID - REACH registered number(s): 01-2119958758-15-XXXX

223-772-2	4065-45-6	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Chronic 3: H412; Skin Sens. 1: H317	<1%
-----------	-----------	---	--	-----

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10

[cont...]

SAFETY DATA SHEET

SLEEK TEAK CLEANER AND BRIGHTENER

Page: 3

minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

[cont...]

SAFETY DATA SHEET
SLEEK TEAK CLEANER AND BRIGHTENER

Page: 4

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.
Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: correctly labelled containers must be used

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

OXALIC ACID

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1 mg/m ³	2 mg/m ³	-	-

DNEL/PNEC Values

Hazardous ingredients:

SULFONIC ACIDS,C14-16(EVEN NO)ALKANE HYDROXY AND C14-16 (EVEN NO)-ALKENE,SODIUM SALTS

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	152.22 mg/m ³	Workers	Systemic
DNEL	Dermal	2158.33mg/kg bw/day	Workers	Systemic
DNEL	Dermal	1295mg/kg bw/day	General Population	Systemic
DNEL	Inhalation	45.04 mg/m ³	General Population	Systemic

[cont...]

SAFETY DATA SHEET
SLEEK TEAK CLEANER AND BRIGHTENER

Page: 5

DNEL	Oral	12.95 mg/kg bw/day	General Population	Systemic
PNEC	Fresh water	0.042 mg/l	-	-
PNEC	Marine water	0.0042 mg/l	-	-
PNEC	intermittant releases	0.042 mg/l	-	-
PNEC	Fresh water sediments	2.025 mg/kg	-	-
PNEC	Marine sediments	0.2025 mg/kg	-	-
PNEC	Soil (agricultural)	0.0061 mg/kg	-	-
PNEC	Microorganisms in sewage treatment	4 mg/l	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Yellow

Odour: Characteristic odour

Evaporation rate: No data available.

Oxidising: No data available.

Solubility in water: Soluble

Viscosity: No data available.

Boiling point/range°C: No data available.

Melting point/range°C: No data available.

Flammability limits %: lower: No data available.

upper: No data available.

Flash point°C: 60 - 93

Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available.

Vapour pressure: No data available.

Relative density: No data available.

pH: 1-2

VOC g/l: No data available.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

[cont...]

SAFETY DATA SHEET
SLEEK TEAK CLEANER AND BRIGHTENER

Page: 6

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Do Not allow to freeze

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

OXALIC ACID

ORL	RAT	LD50	1400	mg/kg
SCU	FRG	LDLO	757	mg/kg

SULFONIC ACIDS,C14-16(EVEN NO)ALKANE HYDROXY AND C14-16 (EVEN NO)-ALKENE,SODIUM SALTS

DERMAL	RBT	LD50	6300	mg/kg
ORAL	RAT	LD50	2079	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

[cont...]

SAFETY DATA SHEET
SLEEK TEAK CLEANER AND BRIGHTENER

Page: 7

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

SULFONIC ACIDS,C14-16(EVEN NO)ALKANE HYDROXY AND C14-16 (EVEN NO)-ALKENE,SODIUM SALTS

ALGAE	96H LC50	5.2	mg/l
Daphnia magna	48H EC50	4.53	mg/l
FISH	96H LC50	4.2	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable. The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of Member States. Information may be obtained from detergent manufacturer and competent authorities.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

[cont...]

SAFETY DATA SHEET
SLEEK TEAK CLEANER AND BRIGHTENER

Page: 8

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.